

**From:** Fran Burns/R3/USEPA/US  
**Sent:** 5/17/2012 2:41:52 PM

**To:** Ron Borsellino/R3/USEPA/US@EPA; Kathy Hodgkiss/R3/USEPA/US@EPA; Dennis Carney/R3/USEPA/US@EPA; Bonnie Gross/R3/USEPA/US@EPA; Fran Burns/R3/USEPA/US@EPA; Gerald Heston/R3/USEPA/US@EPA; Richard Fetzer/R3/USEPA/US@EPA; Richard Rupert/ESC/R3/USEPA/US; Kelley Chase/R3/USEPA/US@EPA; Ann DiDonato/R3/USEPA/US@EPA; LaRonda Koffi/R3/USEPA/US@EPA

**CC:**  
**Subject:** Dimock Update (1430 hrs., 5/17/12)

No homes sampled today.

Data packages for homes sampled during weeks 4 & 5 have been delivered. All data is posted on the website.

Target time frame for sampling remaining first round homes and resampling the four homes currently receiving alternate water is the week of May 21, pending coordination with the labs, availability of homeowners, and access. As of today, two homes are scheduled for next week, one home is a round two and one home is round one supplemental. Messages have been left with the remaining five homes to be sampled.

Provision of alternate water continues to keep water tanks filled.

Fran Burns, Chief  
Western Response Branch (3HS32)  
U. S. Environmental Protection Agency - Region 3  
1650 Arch Street  
Philadelphia, PA 19103

Phone: 215-814-3245  
Fax: 215-814-3254